




PX-0285-GRI

V0


FACE Wall recessed



Description

Wall recessed for indoor and outdoor use.

For frontal lighting and downlighting. Structure material: Aluminium. Structure finish: Grey. Diffuser material: Glass. Diffuser finish: Transparent. Warranty: 5 Years.11Product net weight (Kg): 0.2301Product length (mm): 901Product width or diameter (mm): 901Product aperture (mm): 1711Class 1. IP: IP65. LED. No. of lampholders or LEDs: 15. LED brand: NATIONSTAR. Maximum power of light source: 1W. Colour temperature: Neutral white - 4000K. Colour rendering index: 80. Hours of life: 36.000h L70B30. UGR: 3.6. Photobiological risk: RG0. Real flux (lm): 46. Nominal flux (lm): 120. Lm/Real W: 27. Voltage and frequency range: 100-240 VAC. Voltage: 3.1 V. Intensity: 20 mA. Gear included: Yes, electronic. Total power: 1.7 W. Power factor: 0.35.



Finish

Grey
Transparent

Material

Aluminium
Glass



IP65



50



TECHNICAL CHARACTERISTICS

Light source

Light source: LED NATIONSTAR
Output (W): 1W
Total power consumption (W): 1.7 W
Color temperature: Neutral white - 4000K
CRI: 80
Real Lumen: 46
Nominal Lumen: 120
Qty Leds: 15
Lm/Real W: 27
Life Time: 36.000h L70B30
Bin / Grup: 7A o 7B
UGR: 3.6
Photobiological risk: RG0

GEAR

Brand: NA
Gear included: Yes, electronic
Voltage / Frequency:
100-240V/50-60Hz
Power Factor: 0.35

Luminaire

Warranty: 5 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381457327
Net Weight (Kg): 0.230
Weight in Kg (packaged): 0.277
Packing: 105 x 105 x 85
Masterbox: 50

The photograph may not match the reference exactly. Please read the product description to identify the finish.

