



PX-0353-NEG

V0


SAMPER Wall fixture



Description

Wall light for outdoor use.

For frontal lighting and downlighting. Suitable for installation in marine environments. Structure material: Polycarbonate + ABS. Structure finish: Black. Diffuser material: Polycarbonate. Diffuser finish: Opal. Warranty: 5 Years.



Finish

Black
Opal

Material

Polycarbonate + ABS
Polycarbonate



TECHNICAL CHARACTERISTICS

Light source

Light source: LED SUNPU
Output (W): 10.5W
Total power consumption (W): 12W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 615
Nominal Lumen: 1100
Qty Leds: 66
Lm/Real W: 51
Life Time: 36.000 L70B30
Bin / Grup: Wi9 o Wi10
Photobiological risk: RGO

GEAR

Brand: LOE
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz
Power Factor: 0.45

Luminaire

Seaside: Yes
Warranty: 5 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381458836
Net Weight (Kg): 0.420
Weight in Kg (packaged): 0.563
Packing: 110 x 110 x 275
Masterbox: 16

The photograph may not match the reference exactly. Please read the product description to identify the finish.

